

Check-in Inventory Report



Example House, Example Town,
Exampleshire, England, EG1 234

TENANT NAME

Joe Bloggs

TENANCY TYPE

Single

REPORT CONFIRMED BY

Richard Abbots

TENANCY START DATE

31/01/2018

REPORT CONFIRMED DATE

24/01/2018

This report contains



Check-in Inventory details: Record of appliance manuals (if any present); Record of key handover; Record of meter readings (where accessible).



Compliance checklists.



Detailed descriptions of all fixtures & fittings.



Disclaimer and check-out guidance details.

Property Information

Semi-detached property with front and rear gardens.

Tenancy Information

Three occupants in total. Managed Let property - out of hours emergency contact number is 012345678.

Report Information

Smoke alarms present on each level of the property and test function working on the tenancy start date.

Glossary of Terms

For guidance, please find a glossary of terms used within this report:

Condition

Very Poor: Extensively damaged/faulty. Examples: large stains; upholstery torn; very dirty.

Poor: Extensive signs of wear and tear. Examples: stains/marks/tears/chips.

Fair: Signs of age. Examples: frayed; small light stains/marks; discolouration.

Good: Signs of slight wear. Examples: generally lightly worn.

New Item: Still in wrapper or with new tags/labels attached. Recently purchased, installed or decorated.

Cleanliness

Very Poor: Not cleaned. Requires cleaning to a good or excellent standard.






Poor: Item dusty or dirty. Requires further cleaning to either good or excellent standard.

Fair: Evidence of some cleaning, but signs of dust or marks.

Good: Item cleaned and free of loose dirt.

Excellent: Item immaculate, sparkling and dust free.

Status Icons

-  Disagreed by tenant
-  Needs repair
-  Beyond fair wear and tear
-  Needs replacing
-  Missing

Check-in Inventory Details

✓ Safety certificates and landlord legislation compliance checks

Right to Rent checks performed

YES

Valid gas safety certificate present

YES

Smoke alarm present on each level. Test function working

YES

Carbon monoxide alarm present in any room with solid fuel burning source. Test function working

N/A

Electrical safety certificate present

YES

Energy Performance Certificate present

YES

Check-in Inventory Procedures

Keys photographed, tested & handed over

YES


Appliance manuals photographed & handed over

YES

Key Photo (24/01/2018)



Appliance Manual Photo (24/01/2018)





Utility Details

Gas Check

Meter Serial

498656687

Meter Supplier

EDF: 0113 820 7117

Meter Location

Exterior/cabinet (left side)

Electricity Check

Meter Serial

632313584

Meter Supplier

Scottish Power: 0800 028 0072

Meter Location

Exterior/cabinet (left side)

Water Check

Meter Serial

N/A

Meter Supplier

N/A

Meter Location

N/A

Utility Readings

Gas**Electricity****Water**

24/01/2018

04797589

12431

N/A

Utility Photos

Utility Photo 24/01/2018



Utility Photo 24/01/2018





Room Details

The small thumbnail images in this section can be used as a reference point. **Larger copies** of these images can be found in the **'Room Image Library'** section towards the end of this report.

Entrance/Hallway

Item	Description	Condition	Cleanliness
General Overview (9 photos)	Clean and tidy. Neutral smell (no smoking or pet odours).	● Good	● Good
Front Door (1 photo) 🚫 Disagreed by tenant	Wood (no glazing). Chrome handle. Spyhole. Fire arm present. Chrome Letterbox. Chrome Lettering Free of marks and scratches to front side and reverse. Glazing in a good clean condition.	● Good	● Good
Information provided by tenant: Large scratch to the front side of door.			
The inspector responded to the above tenant comments with the following: Thank you for raising this comment, it's been noted accordingly.			
Door Frame & Skirting	Gloss painted wood (frame). Gloss painted wood (skirting). White (gloss) Free of marks, dents and dust.	● Good	● Good
Ceiling	Plastered/Painted white Free of marks, mould and cobwebs.	● Good	● Good
Light Fittings	Ceiling. Pendant fixing. Plastic. 1 fixing in total. 1 bulb/spotlight No cobwebs present to light fittings. All bulbs in working order.	● Good	● Good
Smoke Alarm	Ceiling mounted alarm. Test function working. Note to tenant: Please test periodically.	● Good	● Good
Walls	Plastered & painted magnolia Free of marks stains and scuffs. No picture hooks, raw plug or filled holes present.	● Good	● Good
Radiator	White panelled Wall mounted radiator(s) free of marks and scuffs. All valve caps present and intact.	● Good	● Good
Sockets & Switches	All sockets/switches plastic. 3 in total All sockets and switches present and intact with no signs of damage.	● Good	● Good
Floor	Laminate wood effect Free of stains, marks and scratches.	● Good	● Good

General Overview

(24/01/2018)



(24/01/2018)



(24/01/2018)



(24/01/2018)



(24/01/2018)



(24/01/2018)



(24/01/2018)



(24/01/2018)



(24/01/2018)



Front Door

(24/01/2018) (Provided by tenant)




Declaration

Was the tenant present during the inspection

NO

I hereby confirm approval of the accuracy and contents of the information contained within this report and my responses (if/where provided). I have also read, understood and agree to the disclaimer information contained within this report. I hereby confirm that the test function button of any smoke and carbon monoxide alarms (where present) in my property are/were in working order (alarm sounds when pressed) at the start of my tenancy. I also understand that it is my responsibility to ensure that any smoke or carbon monoxide alarms are tested and batteries replaced (where required) during my tenancy. Furthermore, in the event any such alarm becomes faulty, I will inform my landlord or managing agent with immediate effect to arrange a replacement.

Inspector Signature



Name:
Richard Abbots

Date:
24/01/2018 at 1:32pm

Tenant Signature



Name:
Joe Bloggs

Date:
24/01/2018 at 1:47pm

Email address:
JoeBloggs@example

IP address:
82.163.4.164

Location:



Disclaimer

The term 'Inspector' is used hereafter to define the Inventory Hive software user that is responsible for completing this property report. It is the duty and ultimate responsibility of the Inspector and Tenant to agree upon the accuracy of this report.

This inventory has been prepared by an inspector who is not an expert in buildings, furnishings, decorations, woods, antiques or a qualified surveyor.

This inventory relates only to the furniture and all the landlord's equipment and contents in the property. It is no guarantee, or report on, the adequacy of, or safety of, any such equipment or contents, merely a record that such items exist in the property at the date of preparing the inventory and the superficial condition of same.

The inspector will not take water readings unless the meter is clearly visible within the property or attached to an exterior wall at low accessible level.

Windows throughout the property have not been tested for function or operation. Descriptions are purely based on the superficial appearance of windows, frames and locks. The inspector can accept no liability arising from any failure of the windows or parts thereof to function properly at all.

Inspectors do not check gas or electrical appliances and give no guarantee with regard to the safety or reliability of such items. It should be noted that inspectors are not required to inspect smoke or carbon monoxide alarms, testing such alarm 'test functions' may occur. However, this is no guarantee, or report on, the adequacy of these alarms. It is merely a record that batteries were present (if tested) upon completion of this report.

The inspector cannot undertake to move heavy items of furniture or to make searches in inaccessible locations such as loft spaces, cellars, locked rooms and high level cupboards, or to unpack items. Inspectors reserve the right not to handle or move items deemed to be fragile or valuable. In addition, the inspectors reserve the right not to handle items that may be of a health hazard and to generalise/summarise on such items deemed to be unsuitable for further inspection.

Furniture and furnishings (Fire) Safety Regulations 1988 – (1993)

The fire and safety regulation regarding furnishings, gas, electrical and similar services are ultimately the responsibility of the instructing principle. Where the inventory notes "Fire Label Present", this should not be interpreted to mean the item complies with the "furniture and furnishings (fire) (safety) (amendments) 1993". It is a record that the item had a label as described or similar to that detailed in the "guide" published by the Department of Trade and Industry January 1997 (or subsequent date). It is not a statement that the item can be considered to comply with the regulations.

Safety Certificate and Legislation Compliance

The safety certificate and legislation compliance checklists in this report are no guarantee, or report on, the adequacy of, or safety of, any such liability contents, merely a record that such steps have been offered by the Inventory Hive software to highlight issues that may exist at the property at the date of preparing this report. Inventory Hive accepts no responsibility for the contents of these steps. It is the responsibility of the Inspector and Tenant to agree upon the accuracy of these steps.

Health & Safety / Insurance Risk-Avoidance Steps

The safety certificate and legislation compliance checklists in this report are no guarantee, or report on, the adequacy of, or safety of, any such liability contents, merely a record that such steps have been offered by the Inventory Hive software to highlight issues that may exist at the property at the date of preparing this report.

Inventory Hive accepts no responsibility for the contents of these steps. It is the responsibility of the Inspector and Tenant to agree upon the accuracy of these steps.

Guidance Notes to Tenants

What should I know about the check-out process?

At the beginning of the tenancy it is important to note any specific discrepancies on the inventory that you do not agree with i.e marks on walls, carpets, etc. If no such additional notes are made via the electronic process at the start of the tenancy, the inventory will be deemed as accepted as read.

The condition of the property at the start of the tenancy, as described in the inventory will be compared to the condition of the property at the end of tenancy. Details of any alterations to the property after the inventory has been agreed upon will be recorded by an inspector (Inventory Hive user).

A 'Check-Out' report will be conducted to determine any changes to the inventory. The tenant should gain permission from the managing agent/landlord if they wish to remove or store any items during the tenancy and this should be confirmed in writing by the managing agent/landlord.

The inspector cannot undertake to move heavy items of furniture or to make searches in inaccessible locations such as loft spaces, cellars, locked rooms and high level cupboards, or to unpack items. Inspectors reserve the right not to handle or move items deemed to be fragile or valuable. In addition, the inspector reserves the right not to handle items that may be of a health hazard and to generalise/summarise on such items deemed to be unsuitable for further inspection.

What should I know before the check-out report is created?

All items should be returned to their original position (as detailed on the inventory); this includes stored or boxed items not used during the tenancy. Any items listed as 'Item Missing' can often result in a replacement cost or a charge being made. Managing agents/landlords may also charge for the removal of unapproved items left by a tenant at the end of the tenancy that were not included in the original inventory.

At the time of the property 'Check-Out' all personal items (including consumable items) should have been removed and cleaning of the property completed. Generally, no further cleaning is permitted once the 'Check-Out' inspection has commenced. Tenants should be advised of the date and time of the 'Check-Out' and provide access, or let the appointed inspector know the details of their departure of the property. Additional costs are sometimes charged by managing agents/landlords if the inspector is not able to complete the 'Check-Out' inspection due to the tenant not being ready to vacate or if they are delayed.

The 'Check-Out' report is advisory and is based on information available to the inspector at the time of the 'Check-Out'. It must not be treated as a final statement of tenant responsibility. It remains the responsibility of the agent/landlord and tenant to fully agree any issues and/or deductions (if any) from the deposit.

Issues to look out for during the tenancy...

Cleaning

Soiling is not considered to be 'Fair wear & Tear', (as defined by the House of Lords as 'reasonable use of the premises by the tenant and the ordinary operation of natural forces, i.e; the passage of time). Generally speaking, tenants are liable for the property to be cleaned to the same standard as detailed in the inventory at the start of the tenancy.

Soft Furnishings

Excessive discolouring which cannot be attributed to sun bleaching and/or the passage of time, soiling or damage may result in repair or cleaning costs being charged by tenants. Discolouration due to smoke, staining, burns or tears to curtains may also incur costs.

Flooring

Carpets should either be professionally cleaned or vacuumed including edges and corners depending on the level of soiling and/or the terms of tenancy agreement. Receipts for professional cleaning should be given to the inspector at the time of the 'Check-Out' inspection. Hard floors require sweeping and mopping where necessary (in accordance with any specialist cleaning materials/advice provided by the managing agent/landlord). Tenants are often charged by the managing agent/landlord for repairs or replacement costs due to soiling, staining or damage such as cigarette or iron burns.

Decoration

As specified in the majority of tenancy agreements, tenants should gain signed, written permission (keep a copy) from the managing agent/landlord prior to putting nails, pins and other fixtures into walls and ceilings and should avoid the use of tac or tape. Additional marks/fittings are often noted at the 'Check-Out' and any damage or repair work required is often charged to tenants by managing agents/landlords.

Beds & Linen

Mattresses, divan bases, pillows, and duvets are often inspected for soiling where practically possible. Costs may be incurred by tenants for clearing, compensation or a percentage of the replacement charge by the managing agent/landlord in the event that any such items are soiled beyond that noted to the inventory. Beds should not be made up at the time of the 'Check-Out' inspection and any linen should be left clean, pressed and folded.

Kitchen Surfaces and Sinks

Kitchen surfaces and sinks are often inspected for knife cuts, cup marks, scorch and burn damage. Using appropriate items such as chopping boards and heat pads will help prevent damage.

Crockery, Chinaware, Kitchen Utensils

These items are often checked for soiling, chips and damage. If damage has occurred that is not considered as consistent with 'fair wear and tear', compensation or replacement costs may be incurred by the tenant.

Keys

All keys listed in the inventory should be kept safe and handed back at the 'Check-Out'. When keys get lost or are not returned to the managing agent, landlord or inspector, tenants are often charged for replacement keys or possibly for the changing of locks. Any additional keys cut during the tenancy should also be returned to the tenant.

Gardens & Exterior Areas

Most tenancy agreements state that the tenant is responsible for the maintenance of gardens and exterior areas such as driveways unless agreed in writing otherwise. This includes the cutting of lawns, weeding and maintaining the garden, paths, driveways, flowerbeds etc according to the season. If the standard is found to be below the condition as detailed to the inventory, (with consideration given for a change in season) tenants are often charged for necessary work to bring the affected area back the required level.